

MP350-MP390E

Since 1994 Marapco Generating Sets have provided reliable, dependable and trustworthy power solutions for the global market. Marapco Generating Sets combine quality and performance to deliver a superior product, making Marapco a market leading Generating Set throughout the Middle East, Asia & Africa.

| Generator Output F | Rating at - | 60Hz | | |
|--|-------------------------|--|---|--|
| 220/127V | KVA | | KW | |
| Prime | 350.0 | | 280.0 | |
| Standby | 390.0 | | 312.0 | |
| | | | @ 0.8 p.f. | |
| Generator Output F | Rating at - | 60Hz | | |
| 380/220V | KVA | | KW | |
| Prime | 315.0 | | 252.0 | |
| Standby | 347.0 | | 277.6 | |
| | | | @ 0.8 p.f. | |
| | | | | |
| Engine Data | | | | |
| Engine Data Engine Manufacturer: | Per | kins S | eguin | |
| - | | rkins S 06A-E88 | | |
| Engine Manufacturer: | | | | |
| Engine Manufacturer: Engine Model: | 150 |)6A-E88 | BTAG5 | |
| Engine Manufacturer: Engine Model: Number of Cylinders: | 150 | 06A-E88 6 | BTAG5 | |
| Engine Manufacturer: Engine Model: Number of Cylinders: Cylinder Arrangement | 150 t: Ve | 06A-E88 6 rtical Ir 4 Strol | BTAG5 | |
| Engine Manufacturer: Engine Model: Number of Cylinders: Cylinder Arrangement Cycle: | 150 t: Ve 112.0 (| 06A-E88 6 rtical Ir 4 Strol | BTAG5 Line ke 49.0 (5.9) | |
| Engine Manufacturer: Engine Model: Number of Cylinders: Cylinder Arrangement Cycle: Bore/Stroke mm (in): | 150 t: Ve 112.0 (| 6 rtical Ir 4 Strol 4.4) / 1 rbo cha | a Line ke 49.0 (5.9) arged bled | |

| Liter | US/Gal | | | |
|--------------------------|---|--|--|--|
| 600 | 158.5 | | | |
| UV Resistant MDPE | | | | |
| Heavy Duty-Powder Coated | | | | |
| Deep Sea Electronics | | | | |
| ABB 3 Pole MCCB | | | | |
| | 600 UV Resist Heavy Duty-Po Deep Sea E | | | |

| Performance | erformance 60HZ | | | |
|----------------------------|-----------------|-------------------------|--|--|
| Engine Speed: | 1800 | | | |
| Gross Engine Power: | kWm | Bhp | | |
| Prime: | 325 | 435 480 US Gal/Hr | | |
| Standby: | 358 | | | |
| Fuel Consumption: | L/Hr | | | |
| Prime: | 77.1 | 20.3 | | |
| Standby: | 85.7 | 22.6 | | |
| | | | | |

Standard Reference Conditions:

Output ratings are presented at normal conditions of temperature and pressure. This generator set is designed to operate in high ambient temperatures and altitudes.

Please consult your dealer for specific site ratings.

Dimensions and Weights

| Len | gth | Wie | dth | He | eight | | Dry | | Wet |
|------------|-------|------------|------|------------|-------|--------|--------|--------|--------|
| Millimeter | Inch | Millimeter | Inch | Millimeter | Inch | KG | LB | KG | LB |
| 3500.0 | 137.8 | 1096.0 | 43.1 | 1820.0 | 71.6 | 2529.0 | 5575.5 | 2562.0 | 5648.2 |
| | | | | | | | | | |

Rating Definition



These rating are applicable for supplying continuous electrical power (at variable load) in lieu of commercially purchased power. This model can supply 10% overload power for 1 hour in 12 hours.



These rating are applicable for supply continuous electrical power (at variable load) in the event of utility power failure. No *overload is permitted on these ratings. The* alternator model is peak continuous rated (as *defined in ISO 8528-3*)

| Air Flow | 60Hz | | | |
|-------------------------------|------|--------|---------|--|
| | | M³/min | Ft³/min | |
| Combustion Air Flow: | | 23.6 | 833.4 | |
| Exhaust Gas Flow: | | 59.6 | 2104.8 | |
| Radiator Cooling: Air Flow | | 482.0 | 17021.6 | |

^{*}Cooling system designed to operate in high ambient conditions

Alternator Data Alternator Manufacturer: **Leroy Somer Alternator Model:** LSA46.3L10 **Number of Bearings:** Single (1) **Insulation Class:** Н **Total Harmonic Content:** <2.5% Wires: 12 **Ingress Protection Rating:** IP 23 Shunt **Excitation System: Winding Pitch Code:** 2/3 - 6



Perkins manufactures diesel engines and power solutions to the highest levels of performance and reliability. MARAPCO incorporates this engine throughout their full range.




Leroy Somer is a world leader in the manufacturing of power generation, combining quality with performance to produce a market leading alternator for MARAPCO.



Deep Sea Electronics control modules deliver unrivaled functionality and performance. MARAPCO generating sets use this latest technology to its full potential.

 $Logos\ and\ Brands\ of\ Perkins,\ Leroy\ Somer,\ ABB\ \&\ Deep\ Sea\ Electronics\ \ are\ registered\ Trademarks$





Other Information

Generating Set Standards

This generating set meets the following standards: ISO8528, BS4999, BS5514, IEC60034, VDE0530

Warranty

This generator is covered against manufacturing and workmanship defects. Kindly refer to warranty statement for more details.

Picture shown in leaflet may include optional accessories, all data is correct at the time of process and we reserve the right to change specification without prior notice

Distributed & Serviced by:



2404/2020